


# NID New Server Login Manual


- 1) Login to your computer using Administrative Password
- 2) Click **My Computer/ This PC**




- 3) Click **Windows 10(C:)**




#### 4) Click **Windows**




#### 5) Click **System32**




## 6) Click drivers




## 7) Click etc




## 8) Click **hosts**



## 9) Right Click **hosts** and select **Open with Notepad** and click **OK**




## 10)hosts file



```
hosts - Notepad
File Edit Format View Help
Copyright (c) 1993-2009 Microsoft Corp.
#
# This is a sample HOSTS file used by Microsoft TCP/IP for Windows.
#
# This file contains the mappings of IP addresses to host names. Each
# entry should be kept on an individual line. The IP address should
# be placed in the first column followed by the corresponding host name.
# The IP address and the host name should be separated by at least one
# space.
#
# Additionally, comments (such as these) may be inserted on individual
# lines or following the machine name denoted by a '#' symbol.
#
# For example:
#
# 102.54.94.97 rhino.acme.com # source server
# 38.25.63.10 x.acme.com # x client host

# localhost name resolution is handled within DNS itself.
# 127.0.0.1 localhost
# ::1 localhost
```


## 11) Add [192.168.249.10](http://192.168.249.10) [prportal.nidw.gov.bd](http://prportal.nidw.gov.bd) at the end of hosts




```
hosts - Notepad
File Edit Format View Help
Copyright (c) 1993-2009 Microsoft Corp.
#
# This is a sample HOSTS file used by Microsoft TCP/IP for Windows.
#
# This file contains the mappings of IP addresses to host names. Each
# entry should be kept on an individual line. The IP address should
# be placed in the first column followed by the corresponding host name.
# The IP address and the host name should be separated by at least one
# space.
#
# Additionally, comments (such as these) may be inserted on individual
# lines or following the machine name denoted by a '#' symbol.
#
# For example:
#
# 102.54.94.97 rhino.acme.com # source server
# 38.25.63.10 x.acme.com # x client host

# localhost name resolution is handled within DNS itself.
# 127.0.0.1 localhost
# ::1 localhost
192.168.249.10 prportal.nidw.gov.bd
```


## 12) Click **Edit** then **Save**



## 13) Click **Save**



14) Go to Mozilla Firefox/ Google Chrome and type <https://prportal.nidw.gov.bd/partner-portal/login>



15) Provide Username and Password and click Sign in

